







### Steel rear tipper

Code	Boards	External Dimensions
M 155 025 410*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

\* Available while stocks last













# Steel rear tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 462*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last













# Steel rear tipper with retrocab storage box H. 900 mm

Code	Boards	External Dimensions
M 155 025 460*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x900x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last









# Steel rear tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 491*	Fratted steel	3800x2300 mm

#### Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last



NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free. For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


Tool Box

p = 640 mm















# Steel rear tipper with retrocab storage box H. 900 mm

Code	Boards	External Dimensions
M 155 025 490*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve


Cataphoresis treatment and powder coating

Lights and tables according to regulations

**Supply and Mounting of retrocab storage box ext. dimensions 640x900x1950** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last







Euro VI-E



### Steel rear tipper with FASSI F50A.0.23 crane

Code	Boards	External Dimensions
M 155 025 814*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and mounting of FASSI F50A.O.23 crane crane (3 hydraulic extensions)

\* Available while stocks last















## Steel 3way tipper

Code	Boards	External Dimensions
M 155 022 454	Fratted steel	3800x2300 mm

#### Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe with horizontal spheres

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Steel spheres supports with anti-vibration PVC cap

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations









### Steel 3way tipper

Code	Boards	External Dimensions
M 155 022 404*	Fratted steel	4200x2300 mm

Steel sideboards from 500 mm with both up and low opening

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating


Lights and tables according to regulations

\* Available while stocks last









Code	Boards	External Dimensions
M 155 022 577	Fratted steel	3800x2300 mm

#### Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe with horizontal spheres

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Steel spheres supports with anti-vibration PVC cap

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.















# Steel 3way tipper with retrocab storage box H. 900 mm

Code	Boards	External Dimensions
M 155 022 575*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe with horizontal spheres

Steel front board from 500 mm with ladder rack and perforated protection panel

Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Steel spheres supports with anti-vibration PVC cap

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating


Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x900x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last







Tool Box

p = 640 mm





Code	Boards	External Dimensions
M 155 022 569*	Fratted steel	4200x2300 mm

Steel sideboards from 500 mm with both up and low opening

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last











Code	Boards	External Dimensions
M 155 022 567*	Fratted steel	4200x2300 mm

Steel sideboards from 500 mm with both up and low opening

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe

Steel front board from 500 mm with ladder rack and perforated protection panel

Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x900x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding. TITAN reserves the right to change features, specifications, data, prices are always VAT free. For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

Tool Box

p = 640 mm
















# Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 022 599	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe with horizontal spheres

Steel front board from 500 mm with ladder rack and perforated protection panel

Steel Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Steel spheres supports with anti-vibration PVC cap

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating


Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.















# Steel 3way tipper with retrocab storage box H. 900 mm

Code	Boards	External Dimensions
M 155 022 597*	Fratted steel	3800x2300 mm

Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe with horizontal spheres

Steel front board from 500 mm with ladder rack and perforated protection panel

Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Steel spheres supports with anti-vibration PVC cap

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and Mounting of retrocab storage box ext. dimensions 640x900x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal mat, aluminium hinges, central shelf bracket, double opening, locks euroinox.

\* Available while stocks last













## Steel 3way tipper with FASSI F50A.0.23 crane

Code	Boards	External Dimensions
M 155 023 413	Fratted steel	3800x2300 mm

#### Steel sideboards from 500 mm top opening only

Steel tailgate from 500 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 4 mm

Steel subframe with horizontal spheres

Steel front board from 500 mm with ladder rack and perforated protection panel

Side and rear boards from 500 mm in steel

Front and rear pillars screwed and removable with integrated foldaway

Recessed foldway rope stretching ring (4+4)

Removable rear ladder rack

Steel spheres supports with anti-vibration PVC cap

Thermoplastic mudguards

Tool box

Homologated side guards

2 KGS powder fire extinguisher

Hydraulic system with P.T.O., safety fuse and buzzer

Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Cataphoresis treatment and powder coating

Lights and tables according to regulations

Supply and mounting of FASSI F50A.O.23 crane (3 hydraulic extensions)









850 - 1060

Rails



# Hooklift Guima-Palfinger T05 double rails with stabilizer roller

#### Code

M 155 070 071

Equipment length = 3300 mm

Width of rails double = 850 - 1060 mm

Height of hook = 920 mm

Stabilizer Roll

Container length (without anchor hook) = 3500 mm

#### STANDARD EQUIPMENT:

Oil tank

Control panel into cab

Thermoplastic mudguards

Tool box

Adjustable rear work light

Signaling devices compliant with the highway code

Homologated side guards

2 KGS powder fire extinguisher in the cabin

Stabilizer roller

Hydraulic system with P.T.O., safety fuse and buzzer

CE certificate of conformity

Lights according to regulations









850 - 1060

Rails



## Hooklift Guima-Palfinger T05 double rails

#### Code

M 155 070 056

Equipment length = 3600 mm

Width of rails double = 850 - 1060 mm

Height of hook = 920 mm

Container length (without anchor hook) = 3800 mm

#### STANDARD EQUIPMENT:

Oil tank

Control panel into cab

Thermoplastic mudguards

Tool box

Adjustable rear work light

Signaling devices compliant with the highway code

Homologated side guards

2 KGS powder fire extinguisher in the cabin

Hydraulic system with P.T.O., safety fuse and buzzer

CE certificate of conformity

Lights according to regulations