


Alloy rear tipper



New
MODEL



Code	Boards	External Dimensions
M 155 026 701	Flat aluminum	2400x1830 mm

Anodized aluminium sideboards from 300 mm top opening only

Anodized aluminium tailgate height 300 mm with double opening and automatic release

Structure of the loading deck in single thick in aluminum sheet. 4 mm

Galvanized steel sub-frame

Aluminum front board from 300 mm with ladder rack and perforated protection panel in aluminium painted

Anodized aluminium side boards from 300 mm with integrated handles

Anodized aluminium rear board from 300 mm

Rear pillars removable with integrated handles

Recessed foldway rope stretching ring (2+2)

Thermoplastic mudguards

Tool box

Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer

Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve

Underrun protection crossbar and approved towing preparation

Lights according to regulations

Euro 6d
WHEELBASE 3125 mm

Alloy rear tipper



New
MODEL

Code	Boards	External Dimensions
M 155 026 703	Flat aluminum	1890x1830 mm

Anodized aluminium sideboards from 300 mm top opening only
Anodized aluminium tailgate height 300 mm with double opening and automatic release

- Structure of the loading deck in single thick in aluminum sheet. 4 mm
- Galvanized steel sub-frame
- Aluminum front board from 300 mm with ladder rack and perforated protection panel in aluminium painted
- Anodized aluminium side boards from 300 mm with integrated handles
- Anodized aluminium rear board from 300 mm
- Rear pillars removable with integrated handles
- Recessed foldway rope stretching ring (2+2)
- Thermoplastic mudguards
- Tool box
- Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
- Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
- Underrun protection crossbar and approved towing preparation
- Lights according to regulations

* Without spare wheel, with inflation kit



NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.
TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

Alloy dropside body



Code	Boards	External Dimensions
M 155 009 016	Flat aluminum	2400x1830 mm

Side and rear boards anodized aluminium from 300 mm top opening only

- Structure of the loading deck in smooth aluminum from 30 mm slats
- Aluminum sub-frame
- Anodized aluminum front board from 500 mm integrated with anodized aluminum pole holders
- Anodized aluminium side boards from 300 mm with hinges and opening handles galvanized
- Anodized aluminium rear board from 300 mm with hinges and opening handles galvanized
- Predisposition for rear aluminum pole holder
- 4 integrated foldaway handles on the edge of the platform (2+2)
- Thermoplastic mudguards
- Underrun protection crossbar and approved towing preparation
- Lights according to regulations



NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding. TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free. For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

Alloy dropside body



Code	Boards	External Dimensions
M 155 009 018	Flat aluminum	1920x1830 mm

Side and rear boards anodized aluminium from 300 mm top opening only

Structure of the loading deck in smooth aluminum from 30 mm slats

Aluminum sub-frame

Anodized aluminum front board from 500 mm integrated with anodized aluminum pole holders

Anodized aluminium side boards from 300 mm with hinges and opening handles galvanized

Anodized aluminium rear board from 300 mm with hinges and opening handles galvanized

Predisposition for rear aluminum pole holder

4 integrated foldaway handles on the edge of the platform (2+2)

Thermoplastic mudguards

Underrun protection crossbar and approved towing preparation

Lights according to regulations



NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.

For updated and punctual information on products and prices, TITAN invites users to contact its sales network.