
TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2



Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 404 - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.



Overall dimensions with equipment L= 5880 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5880 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 403 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 7.587,80


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5880 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 404E - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5880 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 403E - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release


Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.502,51





Steel container for hooklift CITY C3 L=3110

Code	External Dimensions
M 441 160 710 - C3	3200x1950 mm

STANDARD EQUIPMENT:

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Flat Steel front board H. 400 mm with ladder rack and perforated protection panel
Steel sideboards height 350 mm top opening only
Steel rear board H. 350 mm 2 door
Anchor hook height fixed on beams 920 mm
Steel cradle for CITY C3 (L=3110 mm)
Beam width 1060 mm
N° 2 rear sliding rollers
Cataphoresis treatment and powder coating white color

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 4.500,00

TITAN ISUZU


Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2



Steel rear tipper and tool box H. 1200 mm





Overall dimensions with equipment L= 6090 mm

Code	Boards	External Dimensions
M 155 025 107 - 02*	Flat aluminum	3400x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and mounting of retrocab storage box ext. dim. 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

* (Option with PTO cod. M 133 238 111)

* Available while stocks last with flat aluminium boards

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 7.582,99


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5880 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 405 - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 086 - M27 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.863,88

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 086E - M27 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Overall dimensions with equipment L= 5880 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 405E - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 087E - M27 - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.785,64

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 088 - M27 - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 088E - M27 - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.785,64

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 089 - M27 - 01	Double wall TR30 reinforced aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.489,14

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 089E - M27 - 01	Double wall TR30 reinforced aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.254,29

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 087 - M27 - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2



Plus Pallet steel dropside body

Code	Boards	External Dimensions
M 155 010 094 - M27	Aluminium	4500x2100 mm

Side and rear boards steel from 400 mm top opening only

Steel loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Removable rear rack
Two-tone rubber protection front and rear rack
6 integrated foldaway handles on the edge of the platform (5+5)
Thermoplastic mudguards
Tool box
Lights according to regulations



NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 3.718,75

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Plus Pallet steel dropside body

Code	Boards	External Dimensions
M 155 010 092 - M27	Aluminium	3780x2100 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Steel loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws

Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint

400 mm side boards in anodized aluminum with integrated opening handles

400 mm rear board in anodized aluminium

Climb step on rear board

Removable rear rack

Two-tone rubber protection front and rear rack

6 integrated foldaway handles on the edge of the platform (5+5)

Thermoplastic mudguards

Tool box

Lights according to regulations

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 3.406,25


TITAN ISUZU

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2







Overall dimensions with equipment L= 6090 mm

Steel rear tipper and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 108 - 02	Flat steel	3400x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and mounting of retrocab storage box ext. dim. 640x1200x1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

* (Option with PTO cod. M 133 238 111)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.582,99

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Alloy rear tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 026 207 - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

Overall dimensions with equipment L= 5890 mm

* (Option with PTO cod. M 133 238 111)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 9.990,13

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 068 - 02	Flat steel	3400x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

* (Option with PTO cod. M 133 238 111)

Overall dimensions with equipment L= 5530 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.863,88

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 067 - 02*	Flat aluminum	3400x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

* (Option with PTO cod. M 133 238 111)
* Available while stocks last with flat aluminium boards

Overall dimensions with equipment L= 5530 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 5.863,88


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5890 mm

Steel rear tipper
with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 104 - 02	Flat steel	3200x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

* (Option with PTO cod. M 133 238 111)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 7.427,44


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5890 mm

Steel rear tipper and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 103 - 02	Flat aluminum	3200x1950 mm

350 mm high alloy sideboards

400 mm high alloy tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

* (Option with PTO cod. M 133 238 111)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.427,44

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 066 - M27 - 01	Flat steel	3200x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

* (Option with PTO cod. M 133 238 111)

Overall dimensions with equipment L= 5330 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 065 - M27 - 01	Flat aluminum	3200x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminum
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

* (Option with PTO cod. M 133 238 111)

Overall dimensions with equipment L= 5330 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 5.629,07

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Alloy 3way tipper

Code	Boards	External Dimensions
M 155 021 030E - M27	Aluminium	3150x1950 mm

Structure of the loading floor in aluminum composed of 2 joined parts thick 4mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm in aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Retractable V-shaped load stop rings recessed into the floor (4+4)
Spacer that prevents direct contact between the subframe and the loading floor
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.875,00

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2



Alloy rear tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 026 515 - M27 - 01	Painted aluminium	2600x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)



Overall dimensions with equipment L= 5245 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 22.625,00


TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5245 mm

Alloy rear tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 026 514 - M27 - 01	Painted aluminium	2600x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of Palfinger crane PK2900 B (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.187,50

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2



Alloy rear tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 026 508 - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)



Overall dimensions with equipment L= 5845 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.867,50


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5845 mm

Alloy rear tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 026 506 - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights


Supply and mounting of Palfinger crane PK2900 B (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.258,30







Overall dimensions with equipment L= 5290 mm

Alloy rear tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 026 403 - M27 - 01	Painted aluminium	2600x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release


Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

* (Option with PTO cod. M 133 238 111)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.





Overall dimensions with equipment L= 6180 mm

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 411E	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.052,70

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Alloy rear tipper

Code	Boards	External Dimensions
M 155 026 001 - M27 - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
*Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights.

* (Option with PTO cod. M 133 238 111)

Overall dimensions with equipment L= 5330 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.192,79





Overall dimensions with equipment L= 6050 mm

Alloy dropside body and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 010 431	Aluminium	3300x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.316,15


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5880 mm

Alloy 3way tipper with retrocab storge box H. 1200 mm

Code	Boards	External Dimensions
M 155 021 255E	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 11.243,75

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 094	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5490 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.254,23

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2



Alloy 3way tipper with gru FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 021 563 - M27	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 4 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)



Overall dimensions with equipment L= 5320 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.625,00


TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2









Alloy 3way tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 021 561 - M27	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release



Structure of the loading floor in single thick in aluminum sheet. 4 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)

Overall dimensions with equipment L= 5320 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.187,50


TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2







Overall dimensions with equipment L= 5380 mm

Alloy 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 021 252E - M27	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 4 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 10.450,00

TITAN ISUZU

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2



Alloy 3way tipper

Code	Boards	External Dimensions
M 155 021 024E - M27	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights



Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.250,00

Euro VI-E

WHEELBASE 2475 mm

M27 GENERATION 2





Alloy 3way tipper

Code	Boards	External Dimensions
M 155 021 024 - M27	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release


Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Overall dimensions with equipment L= 5190 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.500,00





Overall dimensions with equipment L= 6180 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 411	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

TITAN ISUZU

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2





Overall dimensions with equipment L= 6180 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 409	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.129,40

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 097*	Double wall TR30 reinforced aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.
* Available while stocks last with double wall TR3 reinforced aluminium boards

Overall dimensions with equipment L= 5490 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.879,49

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 096	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5490 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.410,80

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2





Overall dimensions with equipment L= 6180 mm

Steel 3way tipper with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 409E	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.896,13

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 097E*	Double wall TR30 reinforced aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.
* Available while stocks last with double wall TR3 reinforced aluminium boards

Overall dimensions with equipment L= 5490 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.645,71

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 096E	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5490 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.177,02

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 094E	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5490 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2



Alloy 3way tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 021 557	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)



Overall dimensions with equipment L= 5820 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.566,25


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2









Alloy 3way tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 021 555	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release



Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)

Overall dimensions with equipment L= 5820 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 25.129,74

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3345 mm

M27 GENERATION 2





Overall dimensions with equipment L= 6575 mm

Alloy curtain side body Plus

Code	Boards	External Dimensions
M 155 040 006 - M27*	Aluminium	4500x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Curtain side body structure in aluminium
Grey PVC tarpaulin sliding on 3 sides with TIR side closure and zig-zag rear
Aluminium protection bars on 3 sides
Roof structure in aluminium
Lights according to regulations
* Available while stocks last
* Please check transport costs with the MIDI EUROPE administrative office

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.625,00

Euro VI-E

WHEELBASE 3350 mm

M27 GENERATION 2





Alloy dropside body and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 010 453	Aluminium	4100x2100 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

Overall dimensions with equipment L= 6850 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.799,32


TITAN ISUZU

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2







Overall dimensions with equipment L= 6850 mm

Alloy dropside body and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 010 425*	Aluminium	4100x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.
* Available while stocks last with width 1950 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.632,04


TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2





Alloy dropside body with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 010 533	Aluminium	3300x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations
Supply and mounting Palfinger PK2900 B crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)



Overall dimensions with equipment L= 5990 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.385,72

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2



Alloy dropside body with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 010 531	Aluminium	3300x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations
Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)
NOTES (N. 2 CABIN SEATS)



Overall dimensions with equipment L= 5990 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 19.823,23

TITAN ISUZU

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2





Plus alloy dropside body

Code	Boards	External Dimensions
M 155 010 076*	Aluminium	4500x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations
* Available while stocks last with width 1950 mm

Overall dimensions with equipment L= 6575 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 3.125,00

TITAN ISUZU

Euro VI-E

WHEELBASE 2750 mm

M27 GENERATION 2



Palfinger CITY C3 Hooklift

Code
M 155 070 006

Equipment lenght = 3110 mm

Width of rails = 1060 mm

Hook height = 920 mm

Container length (without anchor hook) = 3200 mm

STANDARD EQUIPMENT:

Oil tank
Control panel into cab
Thermoplastic mudguards
Tool box
Adjustable rear work light
Signaling devices compliant with the highway code
Hydraulic system with P.T.O., safety fuse and buzzer
CE certificate of conformity
Lights according to regulations
Configure your container for hooklift



Overall dimensions with equipment L= 5263 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 15.624,36

TITAN ISUZU

Euro VI-E

WHEELBASE 3345 mm

M27 GENERATION 2



Palfinger CITY C3 Hooklift with retrocab storage box H. 1200 mm

Code
M 155 070 253

Equipment lenght = 3110 mm

Width of rails = 1060 mm

Hook height = 920 mm

Container length (without anchor hook) = 3200 mm



Overall dimensions with equipment L= 5970 mm

STANDARD EQUIPMENT:

Oil tank
Control panel into cab
Thermoplastic mudguards
Tool box
Adjustable rear work light
Signaling devices compliant with the highway code
Hydraulic system with P.T.O., safety fuse and buzzer
CE certificate of conformity
Lights according to regulations

Supply and Mounting of RETROCAB STORAGE BOX ext. dim.640x1200x1950 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.
Configure your container for hooklift

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 17.496,06