
TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3



Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 403E - M21 A - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.





Overall dimensions with equipment L= 5870 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.502,51





Steel container for hooklift CITY C3 L=3110

Code	External Dimensions
M 441 160 710 - C3	3200x1950 mm

STANDARD EQUIPMENT:

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Flat Steel front board H. 400 mm with ladder rack and perforated protection panel
Steel sideboards height 350 mm top opening only
Steel rear board H. 350 mm 2 door
Anchor hook height fixed on beams 920 mm
Steel cradle for CITY C3 (L=3110 mm)
Beam width 1060 mm
N° 2 rear sliding rollers
Cataphoresis treatment and powder coating white color

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 4.500,00

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 088 - M21 - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 089 - M21 - 01	Double wall TR30 reinforced aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.489,14

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 087 - M21 - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 6.020,45

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5870 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 405 - M21 - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

Euro VI OBD-E

WHEELBASE 2500 mm





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 086 - M21 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 5.863,88

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5870 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 404 - M21 - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.


NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5870 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 405E - M21 A - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Overall dimensions with equipment L= 5870 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 404E - M21 A - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5880 mm

Steel rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 104 - M21 A - 02	Flat steel	3200x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.427,44

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 089E - M21 A - 01	Double wall TR30 reinforced aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.254,29

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 088E - M21 A - 01	Flat steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.785,64

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 087E - M21 A - 01	Fratted steel	3100x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.785,64

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 086E - M21 A - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Steel rear tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 025 570 - M21 - 01	Flat steel	3200x1950 mm

Painted steel sideboards height 350 mm top opening only

Painted steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)

Overall dimensions with equipment L= 5835 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.675,00


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3









Overall dimensions with equipment L= 5835 mm

Steel rear tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 025 569 - M21 - 01	Flat steel	3200x1950 mm

Painted steel sideboards height 350 mm top opening only

Painted steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Supply and mounting of Palfinger crane PK2900 B (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.237,50


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Steel rear tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 025 566 - M21 - 01	Flat aluminum	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)

Overall dimensions with equipment L= 5835 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.675,00


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3









Overall dimensions with equipment L= 5835 mm

Steel rear tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 025 565 - M21 - 01	Flat aluminum	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.237,50

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 094E - M21 A	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 6.020,45


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5880 mm

Steel rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 103 - M21 A - 02	Flat aluminum	3200x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.427,44

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 066 - M21 A - 02	Flat steel	3200x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5320 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 065 - M21 A - 02	Flat aluminum	3200x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminum
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5320 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3











Alloy 3way tipper with Palfinger PK3400 B crane

Code	Boards	External Dimensions
M 155 021 591 - M21	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of Palfinger PK3400 B crane (3 hydraulic extensions)

Overall dimensions with equipment L= 5870 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 27.300,00


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5895 mm

Alloy rear tipper with Palfinger PK3400 B crane

Code	Boards	External Dimensions
M 155 026 541 - M21	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of Palfinger PK3400 B crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 26.250,00

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3







Overall dimensions with equipment L= 6840 mm

Alloy dropside body

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 010 453 - M21 A	Aluminium	4100x2100 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.799,32


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3







Overall dimensions with equipment L= 6840 mm

Alloy dropside body
with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 010 425 - M21 A*	Aluminium	4100x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.
* Available while stocks last with dropside body 4100x1950 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.632,04

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3





Plus alloy dropside body

Code	Boards	External Dimensions
M 155 010 076 - M21 A*	Aluminium	4500x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations
* Available while stocks last

Overall dimensions with equipment L= 6565 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 3.125,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3





Overall dimensions with equipment L= 6170 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 411E - M21 A	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 8.052,70

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3





Overall dimensions with equipment L= 6170 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 409E - M21 A	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.896,13

TITAN ISUZU

Euro VI OBD-E


WHEELBASE 2760 mm

M21 GENERATION 3











Overall dimensions with equipment L= 5880 mm

Alloy rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 026 207 - M21 A - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 9.990,13

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 097E - M21 A*	Double wall TR30 reinforced aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.
* Available while stocks last Double wall TR30 reinforced aluminium boards

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.645,71

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 096E - M21 A	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.177,02

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 067 - M21 - 02	Flat aluminum	3400x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Overall dimensions with equipment L= 5520 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 5.863,88

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5280 mm

Alloy rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 026 403 - M21 A - 01	Painted aluminium	2600x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 9.755,33

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Alloy rear tipper

Code	Boards	External Dimensions
M 155 026 001 - M21 A - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Overall dimensions with equipment L= 5320 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.192,79


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5370 mm

Alloy 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 021 252E - M21 A	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 10.450,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3





Plus Pallet steel dropside body

Code	Boards	External Dimensions
M 155 010 094 - M21 A	Aluminium	4500x2100 mm

Side and rear boards steel from 400 mm top opening only

Steel loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Removable rear rack
Two-tone rubber protection front and rear rack
6 integrated foldaway handles on the edge of the platform (5+5)
Thermoplastic mudguards
Tool box
Lights according to regulations

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 3.718,75


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5870 mm

Alloy 3way tipper

with retrocab storge box H. 1200 mm

Code	Boards	External Dimensions
M 155 021 255E - M21 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 11.243,75

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 094 - M21	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.254,24

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 160E - M21	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Alloy 3way tipper

Code	Boards	External Dimensions
M 155 021 024E - M21 A - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.250,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Alloy 3way tipper

Code	Boards	External Dimensions
M 155 021 024 - M21 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Overall dimensions with equipment L= 5180 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.500,00

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3





Overall dimensions with equipment L= 6080 mm

Alloy rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 026 209 - M21*	Flat aluminum	3400x1950 mm

Anodized aluminium sideboards height 350 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor of aluminium staves H. 30
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in aluminium
350 mm side boards in anodized aluminum with galvanized opening handles
400 mm tailgate in anodized aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.625,00

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Overall dimensions with equipment L= 5520 mm

Alloy rear tipper

Code	Boards	External Dimensions
M 155 026 002 - M21*	Flat aluminum	3400x1950 mm

Anodized aluminium sideboards height 350 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor of aluminium staves H. 30
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in aluminium
350 mm side boards in anodized aluminum with galvanized opening handles
400 mm tailgate in anodized aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights
* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.875,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel rear tipper

Code	Boards	External Dimensions
M 155 025 068 - M21 - 02	Flat steel	3400x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening


Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

Overall dimensions with equipment L= 5520 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.863,88





Overall dimensions with equipment L= 5980 mm

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3

Alloy dropside body with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 010 531 - M21 - 01	Aluminium	3300x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 18.888,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3





Overall dimensions with equipment L= 6565 mm

Alloy curtain side body Plus

Code	Boards	External Dimensions
M 155 040 006 - M21 - 01*	Aluminium	4500x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Curtain side body structure in aluminium
Grey PVC tarpaulin sliding on 3 sides with TIR side closure and zig-zag rear
Aluminium protection bars on 3 sides
Roof structure in aluminium
Lights according to regulations
* Available while stocks last
* Please check transport costs with the MIDI EUROPE administrative office

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.125,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Overall dimensions with equipment L= 6040 mm

Alloy dropside body and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 010 432 - M21	Aluminium	3300x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.316,15

Euro VI OBD-E

WHEELBASE 2760

M21 GENERATION 3





Plus alloy dropside body

Code	Boards	External Dimensions
M 155 010 077 - M21 - 01*	Aluminium	3700x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations
* Available while stocks last

Overall dimensions with equipment L= 5765 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 4.450,26


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5235 mm

Alloy rear tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 026 502 - M21 - 01	Painted aluminium	2600x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of Palfinger crane PK2900 B (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 23.187,50


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3







Overall dimensions with equipment L= 6080 mm

Steel rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 108 - M21 - 02	Flat steel	3400x1950 mm

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 7.582,99


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3







Overall dimensions with equipment L= 6080 mm

Steel rear tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 025 107 - M21 - 02	Flat aluminum	3400x1950 mm

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.582,99


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Alloy 3way tipper and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 021 255 - M21 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

Overall dimensions with equipment L= 5870 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 11.803,95

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3



Palfinger CITY C3 Hooklift with retrocab storage box H. 1200 mm

Code
M 155 070 253 - M21

Equipment lenght = 3110 mm

Width of rails = 1060 mm

Hook height = 920 mm

Container length (without anchor hook) = 3200 mm



Overall dimensions with equipment L= 5960 mm

STANDARD EQUIPMENT:

Oil tank
Control panel into cab
Thermoplastic mudguards
Tool box
Adjustable rear work light
Signaling devices compliant with the highway code
Hydraulic system with P.T.O., safety fuse and buzzer
CE certificate of conformity
Lights according to regulations

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.
Configure your container for hooklift

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 17.496,06

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3



Palfinger CITY C3 Hooklift

Code
M 155 070 006 - M21

Equipment lenght = 3110 mm

Width of rails = 1060 mm

Hook height = 920 mm

Container length (without anchor hook) = 3200 mm

STANDARD EQUIPMENT:

Oil tank
Control panel into cab
Thermoplastic mudguards
Tool box
Adjustable rear work light
Signaling devices compliant with the highway code
Hydraulic system with P.T.O., safety fuse and buzzer
CE certificate of conformity
Lights according to regulations
Configure your container for hooklift



Overall dimensions with equipment L= 5253 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 15.624,36

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3



Alloy dropside body with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 010 647 - M21 - 01	Aluminium	4100x2100 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)



Overall dimensions with equipment L= 6780 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 19.045,00





Overall dimensions with equipment L= 6780 mm

Euro VI OBD-E

WHEELBASE 3360 mm

Alloy dropside body
with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 010 663 - M21 - 01	Aluminium	4100x2100 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum ;front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.142,00





Overall dimensions with equipment L= 6780 mm

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3

Alloy dropside body with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 010 643 - M21 - 01*	Aluminium	4100x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)

* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 18.888,00



Euro VI OBD-E

WHEELBASE 3360 mm

Alloy dropside body
with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 010 636 - M21 - 01*	Aluminium	4100x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum ;front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

Supply and mounting Palfinger PK2900 B crane (3 hydraulic extensions)

* Available while stocks last



Overall dimensions with equipment L= 6780 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 19.986,00

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 160 - M21	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.131,60


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Alloy dropside body with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 010 533 - M21 - 01	Aluminium	3300x1950 mm

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system witn P.T.O., safety fuse and buzzer
Lights according to regulations

Supply and mounting Palfinger PK2900 B (3 hydraulic extensions)

Overall dimensions with equipment L= 5980 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 19.986,00





Overall dimensions with equipment L= 5810 mm

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3

Alloy 3way tipper and gru FASSI F30M.0.23

Code	Boards	External Dimensions
M 155 021 557 - M21 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 24.566,25

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3











Overall dimensions with equipment L= 5810 mm

Alloy 3way tipper and Palfinger PK2900 B

Code	Boards	External Dimensions
M 155 021 555 - M21 - 01	New Evo anodized aluminium	3100x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 25.129,74

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3



Alloy 3way tipper and gru FASSI F30M.0.23

Code	Boards	External Dimensions
M 155 021 553 - M21	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)



Overall dimensions with equipment L= 5310 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 23.625,00

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3











Overall dimensions with equipment L= 5310 mm

Alloy 3way tipper and Palfinger PK2900 B

Code	Boards	External Dimensions
M 155 021 551 - M21	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.187,50

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3



Alloy rear tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 026 508 - M21 - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)



Overall dimensions with equipment L= 5835 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.687,50


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3







Overall dimensions with equipment L= 5835 mm

Alloy rear tipper with Palfinger PK2900 B crane

Code	Boards	External Dimensions
M 155 026 506 - M21 - 01	Painted aluminium	3200x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.257,50

TITAN ISUZU

Euro VI OBD-E


WHEELBASE 2500 mm

M21 GENERATION 3











Overall dimensions with equipment L= 5235 mm

Alloy rear tipper with FASSI F30M.0.23 crane

Code	Boards	External Dimensions
M 155 026 513 - M21 - 01	Painted aluminium	2600x1950 mm

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 22.625,00

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3







Overall dimensions with equipment L= 6170 mm

Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 411 - M21	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 8.124,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 GENERATION 3



Steel 3way tipper

with retrocab storage box H. 1200 mm

Code	Boards	External Dimensions
M 155 020 409 - M21	New Evo anodized aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.



Overall dimensions with equipment L= 6170 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.970,50


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2500 mm

M21 GENERATION 3







Alloy 3way tipper and tool box H. 1200 mm

Code	Boards	External Dimensions
M 155 021 252 - M21	New Evo anodized aluminium	2600x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

Overall dimensions with equipment L= 5370 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 10.862,50

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 097 - M21*	Double wall TR30 reinforced aluminium	3400x1950 mm

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

* Available while stocks last Double wall TR30 reinforced aluminium boards

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.879,49

Euro VI OBD-E

WHEELBASE 2760 mm

M21 GENERATION 3





Steel 3way tipper

Code	Boards	External Dimensions
M 155 020 096 - M21	Flat steel	3400x1950 mm

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

Overall dimensions with equipment L= 5480 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.410,80