




# Steel container for hooklift CITY C3 L=3110

| Code | External Dimensions |
|---|---|
| M 441 160 710 - C3 | 3200x1950 mm |

**STANDARD EQUIPMENT:**

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Flat Steel front board H. 400 mm with ladder rack and perforated protection panel
Steel sideboards height 350 mm top opening only
Steel rear board H. 350 mm 2 door
Anchor hook height fixed on beams 920 mm
Steel cradle for CITY C3 (L=3110 mm)
Beam width 1060 mm
N° 2 rear sliding rollers
Cataphoresis treatment and powder coating white color

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 4.500,00

# Euro VI OBD-E

WHEELBASE 2500 mm

e-call M21 GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 087 - M21 C - 01 | Fratted steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 160 - M21 C | New Evo anodized aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.131,60

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 097E - M21 C* | Double wall TR30 reinforced aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.
* Available while stocks last Double wall TR30 reinforced aluminium boards

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.645,71

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 097 - M21 C* | Double wall TR30 reinforced aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.
* Available while stocks last Double wall TR30 reinforced aluminium boards

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.879,49

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 096E - M21 C | Flat steel | 3400x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.177,02





## Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

# Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 096 - M21 C | Flat steel | 3400x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.410,80

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 094E - M21 C | New Evo anodized aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45





# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 094 - M21 C | New Evo anodized aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.254,24

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 089E - M21 C - 01 | Double wall TR3 reinforced aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.254,29

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 088E - M21 C - 01 | Flat steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.785,64

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 087E - M21 C - 01 | Fratted steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.785,64

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 086E - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 089 - M21 C - 01 | Double wall TR30 reinforced aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.489,14

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 088 - M21 C - 01 | Flat steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 6.020,45

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4





## Plus alloy dropside body

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 076 - M21 C* | Aluminium | 4500x1950 mm |

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations
* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 3.125,00

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 086 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.863,88

TITAN ISUZU






# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-cell GENERATION 4

## Alloy dropside body
## with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 663 - M21 C - 01 | Aluminium | 4100x2100 mm |

Side and rear boards anodized aluminium from 400 mm top opening only



Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum ;front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.142,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4








# Alloy dropside body with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 647 - M21 C - 01 | Aluminium | 4100x2100 mm |

## Side and rear boards anodized aluminium from 400 mm top opening only




Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

**Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 19.045,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4








# Alloy dropside body with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 643 - M21 C - 01* | Aluminium | 4100x1950 mm |

## Side and rear boards anodized aluminium from 400 mm top opening only




Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

**Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)**

* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 18.888,00








# Euro VI OBD-E

WHEELBASE 3360 mm

## Alloy dropside body
## with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 636 - M21 C - 01* | Aluminium | 4100x1950 mm |

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum ;front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

**Supply and mounting Palfinger PK2900 B crane (3 hydraulic extensions)**

* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 19.986,00


TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4








# Alloy dropside body
# with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 533 - M21 C - 01 | Aluminium | 3300x1950 mm |

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system witn P.T.O., safety fuse and buzzer
Lights according to regulations

**Supply and mounting Palfinger PK2900 B (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 19.986,00

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4









# Alloy dropside body with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 531 - M21 C - 01 | Aluminium | 3300x1950 mm |

## Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Lights according to regulations

**Supply and mounting FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 18.888,00

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4







## Alloy dropside body

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 453 - M21 C | Aluminium | 4100x2100 mm |

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.799,32


TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4







# Alloy dropside body and tool box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 432 - M21 C | Aluminium | 3300x1950 mm |

## Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.316,15

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4







## Alloy dropside body
## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 425 - M21 C* | Aluminium | 4100x1950 mm |

Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.
* Available while stocks last with dropside body 4100x1950 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.632,04





Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4

# Plus Pallet steel dropside body

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 094 - M21 C | Aluminium | 4500x2100 mm |

## Side and rear boards steel from 400 mm top opening only

Steel loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Removable rear rack
Two-tone rubber protection front and rear rack
6 integrated foldaway handles on the edge of the platform (5+5)
Thermoplastic mudguards
Tool box
Lights according to regulations

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 3.718,75





## Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

# Plus Pallet steel dropside body

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 092 - M21 C | Aluminium | 3780x2100 mm |

Side and rear boards anodized aluminium from 400 mm top opening only

Steel loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Removable rear rack
Two-tone rubber protection front and rear rack
6 integrated foldaway handles on the edge of the platform (5+5)
Thermoplastic mudguards
Tool box
Lights according to regulations

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 3.406,25


TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760

M21 e-call GENERATION 4





# Plus alloy dropside body

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 010 077 - M21 C - 01* | Aluminium | 3700x1950 mm |

## Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
6 integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Lights according to regulations
* Available while stocks last

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 4.450,26

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Alloy 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 024E - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.250,00

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4








## Steel 3way tipper and Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 023 080 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.875,00


TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4












# Alloy 3way tipper with Palfinger PK3400 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 591 - M21 C | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and mounting of Palfinger PK3400 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 27.300,00

TITAN ISUZU








# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

## Alloy 3way tipper and gru FASSI F30M.0.23

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 557 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.566,25

TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4






# Alloy 3way tipper and Palfinger PK2900 B

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 555 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 25.129,74

TITAN ISUZU









# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4

## Alloy 3way tipper and gru FASSI F30M.0.23

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 553 - M21 C - 01 | New Evo anodized aluminium | 2600x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.625,00


TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4












## Alloy 3way tipper and Palfinger PK2900 B

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 551 - M21 C - 01 | New Evo anodized aluminium | 2600x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.187,50

TITAN ISUZU

# Euro VI OBD-E


WHEELBASE 2760 mm

M21 e-call GENERATION 4












## Alloy 3way tipper

## with retrocab storge box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 255E - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 11.243,75

TITAN ISUZU

# Euro VI OBD-E


WHEELBASE 2760 mm

M21 e-call GENERATION 4












## Alloy 3way tipper and tool box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 255 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 11.803,95

TITAN ISUZU

# Euro VI OBD-E


WHEELBASE 2500 mm

M21 e-call GENERATION 4












## Alloy 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 252E - M21 C - 01 | New Evo anodized aluminium | 2600x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 10.450,00

TITAN ISUZU

**Euro VI OBD-E**


WHEELBASE 2500 mm

M21 e-call GENERATION 4












# Alloy 3way tipper and tool box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 252 - M21 C - 01 | New Evo anodized aluminium | 2600x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release


Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 10.862,50



# Euro VI OBD-E

WHEELBASE 2500 mm

## Alloy 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 030E - M21 C | Aluminium | 3150x1950 mm |

Structure of the loading floor in aluminum composed of 2 joined parts thick 4mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm in aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Retractable V-shaped load stop rings recessed into the floor (4+4)
Spacer that prevents direct contact between the subframe and the loading floor
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights



**Overall dimensions with equipment L= 5180 mm**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.875,00

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 160E - M21 C | New Evo anodized aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.020,45

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Alloy 3way tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 021 024 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release


Structure of the loading floor in single thick in aluminum sheet. 3 mm
Galvanized steel sub-frame
Aluminum front board from 400 mm with ladder rack and perforated protection panel in aluminium
400 mm side and rear walls available in anodized aluminium
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3 each side)
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box
Hydraulic system with P.T.O., safety fuse and buzzer
Chrome-plated telescopic cylinder resistant to wear, atmospheric agents and rust with safety valve
Overall lights

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.500,00

TITAN ISUZU







# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 411E - M21 C | Flat steel | 3400x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.052,70

TITAN ISUZU







# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 411 - M21 C | Flat steel | 3400x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.


NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 8.124,00

TITAN ISUZU






## Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-cell GENERATION 4

# Steel 3way tipper
# with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 409E - M21 C | New Evo anodized aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.


NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.896,13

TITAN ISUZU






# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 409 - M21 C | New Evo anodized aluminium | 3400x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (4 each side)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.970,50

TITAN ISUZU







# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 405E - M21 C - 01 | Flat steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.661,22

TITAN ISUZU









# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 405 - M21 C - 01 | Flat steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.741,30

TITAN ISUZU







# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-cell GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 404E - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.661,22







# Euro VI OBD-E

WHEELBASE 2760 mm

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 404 - M21 C - 01 | Fratted steel | 3100x1950 mm |

Steel sideboards height 400 mm top opening only

Steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.


NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.741,30

TITAN ISUZU






# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-cell GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 403E - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.


**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.


NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.502,51

TITAN ISUZU






# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-cell GENERATION 4

## Steel 3way tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 020 403 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.


TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.587,80

Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4









# Steel rear tipper with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 566 - M21 C - 01 | Flat aluminum | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights


**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.675,00







Euro VI OBD-E

WHEELBASE 3360 mm

# Palfinger CITY C3 Hooklift with retrocab storage box H. 1200 mm

| Code |
| --- |
| M 155 070 253 - M21 C |

Equipment lenght = 3110 mm

Width of rails = 1060 mm

Hook height = 920 mm

Container length (without anchor hook) = 3200 mm

**STANDARD EQUIPMENT:**

Oil tank
Control panel into cab
Thermoplastic mudguards
Tool box
Adjustable rear work light
Signaling devices compliant with the highway code
Hydraulic system with P.T.O., safety fuse and buzzer
CE certificate of conformity
Lights according to regulations

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks.

Configure your container for hooklift

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 17.496,06

TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4







# Palfinger CITY C3 Hooklift

| Code |
| --- |
| M 155 070 006 - M21 C |

Equipment lenght = 3110 mm

Width of rails = 1060 mm

Hook height = 920 mm

Container length (without anchor hook) = 3200 mm

**STANDARD EQUIPMENT:**

Oil tank

Control panel into cab

Thermoplastic mudguards

Tool box

Adjustable rear work light

Signaling devices compliant with the highway code

Hydraulic system with P.T.O., safety fuse and buzzer

CE certificate of conformity

Lights according to regulations

Configure your container for hooklift

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 15.624,36

TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 3360 mm

M21 e-call GENERATION 4






# Alloy curtain side body Plus

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 040 006 - M21 C - 01* | Aluminium | 4500x1950 mm |

## Side and rear boards anodized aluminium from 400 mm top opening only

Aluminum loading floor structure with marine plywood floor in a single sheet sealed and fixed with galvanized screws
Alloy sub-frame
Anodized aluminum front board from 400 mm integrated with ladder rack and perforated protection panel in aluminium peint
400 mm side boards in anodized aluminum with integrated opening handles
400 mm rear board in anodized aluminium
Climb step on rear board
Integrated foldaway handles on the edge of the platform (3+3)
Thermoplastic mudguards
Tool box
Curtain side body structure in aluminium
Grey PVC tarpaulin sliding on 3 sides with TIR side closure and zig-zag rear
Aluminium protection bars on 3 sides
Roof structure in aluminium
Lights according to regulations
* Available while stocks last
* Please check transport costs with the MIDI EUROPE administrative office

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 6.125,00


TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4









# Alloy rear tipper with Palfinger PK3400 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 541 - M21 C | Painted aluminium | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and mounting of Palfinger PK3400 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 26.250,00

TITAN ISUZU

**Euro VI OBD-E**


WHEELBASE 2500 mm

M21 e-call GENERATION 4













# Alloy rear tipper with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 513 - M21 C - 01 | Painted aluminium | 2600x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 22.625,00

Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4









# Alloy rear tipper with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 508 - M21 C - 01 | Painted aluminium | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.687,50


TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4









# Alloy rear tipper with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 506 - M21 C - 01 | Painted aluminium | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 24.257,50


TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2500 mm

M21 e-call GENERATION 4









# Alloy rear tipper with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 502 - M21 C - 01 | Painted aluminium | 2600x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and mounting of Palfinger crane PK2900 B (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 23.187,50

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2500 mm


M21 e-call GENERATION 4













## Alloy rear tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 403 - M21 C - 01 | Painted aluminium | 2600x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 9.755,33

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm


M21 e-call GENERATION 4












## Alloy rear tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 207 - M21 C - 01 | Painted aluminium | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 9.990,13

# Euro VI OBD-E

WHEELBASE 2500 mm

e-call M21 GENERATION 4





## Alloy rear tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 026 001 - M21 C - 01 | Painted aluminium | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Structure of the loading floor in single thick in aluminium sheet 3 mm
Painted steel sub-frame
Aluminum front board from 400 mm with ladder rack in painted steel and perforated protection panel in aluminium painted
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Thermoplastic mudguards
Tool box
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Overall lights

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 8.192,79

TITAN ISUZU

**Euro VI OBD-E**

WHEELBASE 2760 mm

M21 e-call GENERATION 4









# Steel rear tipper with FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 570 - M21 C - 01 | Flat steel | 3200x1950 mm |

Painted steel sideboards height 350 mm top opening only

Painted steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 20.675,00


TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4











## Steel rear tipper with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 569 - M21 C - 01 | Flat steel | 3200x1950 mm |

Painted steel sideboards height 350 mm top opening only

Painted steel tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

**Supply and mounting of Palfinger crane PK2900 B (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.237,50

TITAN ISUZU









## Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4

# Steel 3way tipper and FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 023 081 - M21 C - 01 | New Evo anodized aluminium | 3100x1950 mm |

Anodized aluminium sideboards height 400 mm top opening only

Anodized aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Aluminum front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in anodized aluminum
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.312,50


TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4











## Steel rear tipper with Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 565 - M21 C - 01 | Flat aluminum | 3200x1950 mm |

Painted aluminium sideboards height 350 mm top opening only

Painted aluminium tailgate height 400 mm with double opening and automatic release

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminum front board from 400 mm with ladder rack in galvanized steel and perforated protection panel in steel
350 mm side boards in painted aluminum with galvanized opening handles
400 mm tailgate in painted aluminium
Rear pillars removable
Rear ladder rack removable
Thermoplastic mudguards
Tool box
Hydraulic system with PTO, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.237,50

TITAN ISUZU


# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4








## Steel rear tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 108 - M21 C - 02 | Flat steel | 3400x1950 mm |

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.582,99

TITAN ISUZU


# Euro VI OBD-E

WHEELBASE 3360 mm

M21 e-call GENERATION 4








## Steel rear tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 107 - M21 C - 02 | Flat aluminum | 3400x1950 mm |

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.582,99

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm


M21 e-call GENERATION 4












## Steel rear tipper

## with retrocab storage box H. 900 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 106 - M21 C - 02* | Flat steel | 3200x1950 mm |

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=900 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

* Available while stocks last with retrocab storage box H. 900 mm

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.


€ 7.427,44

TITAN ISUZU

# Euro VI OBD-E


WHEELBASE 2760 mm

M21 e-call GENERATION 4












## Steel rear tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 104 - M21 C - 02 | Flat steel | 3200x1950 mm |

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.427,44

TITAN ISUZU

# Euro VI OBD-E


WHEELBASE 2760 mm

M21 e-call GENERATION 4












## Steel rear tipper

## with retrocab storage box H. 1200 mm

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 103 - M21 C - 02 | Flat aluminum | 3200x1950 mm |

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and Mounting of retrocab storage box external dimensions: D=640 H=1200 L=1950 mm** of 2 mm width steel, painted with epoxy powder white ISUZU colour, plastic internal carpet, aluminium hinges, central shelf bracket, double opening, euroinox locks

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 7.427,44

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4





## Steel rear tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 068 - M21 C - 02 | Flat steel | 3400x1950 mm |

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.863,88

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4





## Steel rear tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 067 - M21 C - 02 | Flat aluminum | 3400x1950 mm |

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminium
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.863,88

TITAN ISUZU

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel rear tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 066 - M21 C - 02 | Flat steel | 3200x1950 mm |

350 mm high steel sideboards

400 mm high steel tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted steel
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07

# Euro VI OBD-E

WHEELBASE 2500 mm

M21 e-call GENERATION 4





## Steel rear tipper

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 025 065 - M21 C - 02 | Flat aluminum | 3200x1950 mm |

350 mm high aluminium sideboards

400 mm high aluminium tailboard with automatic opening

Loading deck structure in S355JR steel th. 3 mm
Steel subframe
Aluminium front board H. 400 mm with ladder rack and perforated protection panel
Side boards H. 350 mm and rear H. 400 mm available in painted aluminum
Front and rear pillars, screwed and removable
Removable rear ladder rack
Thermoplastic mudguards
Tool box with key lock
Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer
Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 5.629,07

TITAN ISUZU

Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-call GENERATION 4






# Steel 3way tipper and FASSI F30M.0.23 crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 023 085 - M21 C - 01 | Flat steel | 3100x1950 mm |

Flat steel sideboards height 400 mm top opening only

Flat steel tailgate height 400 mm with double opening and automatic release




Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in painted steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and mounting of FASSI F30M.0.23 crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.312,50

Euro VI OBD-E

WHEELBASE 2760 mm

M21 e-cell GENERATION 4






# Steel 3way tipper and Palfinger PK2900 B crane

| Code | Boards | External Dimensions |
|---|---|---|
| M 155 023 084 - M21 C - 01 | Flat steel | 3100x1950 mm |

Flat steel sideboards height 400 mm top opening only

Flat steel tailgate height 400 mm with double opening and automatic release



Loading deck structure in S355JR steel th. 3 mm
Steel subframe with horizontal spheres
Steel front board H. 400 mm with ladder rack and perforated protection panel
Side and rear boards H. 400 mm, available in painted steel
Front and rear pillars, screwed and removable with integrated foldaway
Recessed foldway rope stretching ring (3+3)
Removable rear ladder rack
Steel spheres supports with anti-vibration PVC cap
Thermoplastic mudguards
Tool box with key lock
Hydraulic system with P.T.O., safety fuse and buzzer
Chromed and galvanised multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve
Cataphoresis treatment and powder coating
Overall lights.

**Supply and mounting of Palfinger PK2900 B crane (3 hydraulic extensions)**

NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding.

TITAN reserves the right to change features, specifications, data, prices without notice. The prices indicated on the Site are in no way binding for contractual purposes and may vary according to the duration of the price list. Prices are always VAT free.
For updated and punctual information on products and prices, TITAN invites users to contact its sales network.

€ 21.875,00